G R. S 58
Previous references
115-07 1-2

1908 ✓x
(Municipal)

File No ~~60-08~~
Serial Nos. 4 & 6

Later references
Vol 78 '09
" (1A, 6, 7 & 36)
Vol 240-10 (104)
Vol 70-12 (11-6)
Vol 70-12 (7089)

GENERAL AND REVENUE SECRETARIAT.

Serial Nos 4 & 6

Part B for February 1909

SUBJECT

Maintenance charges of the Supplementary steam plant for the temporary improvement of the water supply of the Mysore city

---

From the Chief Engr. no 6083 dt 4-11-08 submits for sanction an estimate amg. to Rs 24016/- for working the supplementary steam plant for the temporary improvement of the water supply of the Mysore city during 1908-09 the charges on acct of "Establishment" & "Tools & Plant" being met

7 to 80 ; Accts., Asst. Secy. & Comptr ; no 8114-6 dt 19/2/09 forwarding the estimate with an observation that it is proposed to advance the amount from the State funds given that it is proposed to advance the amount from the State funds

G R.S. 11] 1908

GENERAL AND REVENUE SECRETARIAT

(Municpl)

NOTES

File No. 40-08

File Heading

Maintenance charges of the Supplementary steam plant for the temporary improvement of the water-supply to the Mysore City during 1908-09.

From

The Chief Engineer of Mysore

No. 6903 Dated 4-11-08 Received 6-11-08

Diary No 3111	Enclos 2 Spare Copies.	Serial No 4

Brief Abstract of Letter.

Submits for sanction an estimate amounting to Rs 24,016/- for working the Supplementary Steam Plant for the temporary improvement of the water-supply to the Mysore City during 1908-09, the charges on account of "Establishment" and "Tools and Plant" being waived.

NOTES AND ORDERS

There is no provision in the Mysore City Municpl current year's Budget for meeting this charge. It was thought that the electrification of the pumping plant would save this charge. (Vide notes in Mul File 115-07, pages 8-11).

2 The financial condition of the Mysore City

Notes—First sheet.

GPB -30,000—20-3-06

G. . S. 12]
General and Revenue Secretariat

File No. 40 of 1908

Serial No.

Inmufty is very bad this year as shown below.-

Actual Opening balance including the grants resumed on 1/1/08 Rs 23,743

Receipts during the current year 1,66,520

1,90,263

Expenditure — " — 1,65,325.

Closing balance on 30-6-09 24,938

which falls short of the sum of Rs 25,000/- required for electrification of the Belagola pumping plant, by Rs 162/-

3 Besides this charges on account of famine relief, &c, which have not been provided for in the budget, may have to be borne by the Inmufty during the current year.

4 As no funds can be provided to meet this charge, may the Chief Engineer be asked to state if the electrification of the pumping plant cannot be completed early and whether the proposed charge for working the supplementary steam plant cannot thereby be avoided.

5 Draft submitted

Above and 25/11

6 Issue

27.11.08 WWD

7 The Register numbered. If not has not yet received, please do so and forward to the Ch Engr for report

Asst Secy

8948/25-11-08

NOTE—Contn sheet.

Serial No.

with the remark that if the electrification of the pumping plant can be completed early, an appreciable proportion of the proposed charge for working the supplementary steam plant can be saved, much to the benefit of a Municipality whose finances are in a very chaotic condition. This

29 Nov 08

Please put up another draft

30.11.0 [illegible]

1. Draft as per 1st Councillor's order is put up

10 It is respectfully submitted that as pointed out in paras 1 to 6 supra, no funds are available to meet the charge in the present case. It will be seen from the Financial Secretary's note in Municipal File 621-07, that the Municipality is unable to bear the amount of Rs 25,000 sanctioned on account of electrification of the Balagola pumping plants, even if the whole of the closing balance should be used up for the purpose and that it has therefore become necessary either to grant an enhanced loan or to postpone the work till the next year.

NOTE—Contin sheet.

Serial No

11. If it should be considered that the charge is unavoidable, the amount will have to be advanced as a loan to the municipality in addition to the loan already promised on account of electrification. It is also a point for consideration whether the municipality may not be permitted to raise a loan in the open market for electrification of the pumping plant for supplying water to the city, the charge in the present case being met partly from the closing balance of the current year and partly from funds which may be available during the next year Branch II has to be consulted

Obsvg The amount required 26/12 is Rs 26,000 odd - The estimated closing balance as per Comptroller's figures for ~~expenditure~~ ~~Rs 26,000~~ at the end of 1908-09 is Rs 21,000 (Vide file no 421 of 1907) - A sum of Rs 50,000 is required for the electrification of The Balagola water works and it is proposed by the Fin: Secy to sanction the whole of this amount as a loan to the municipality. The ~~fund~~ municipality not being able to provide for the -

GPB -50 000—17-3-07

Serial No

working charges of the supplementary plant, this also should be sanctioned by Govt as a loan The charge ~~is~~ seems to be of an unavoidable nature - Forwarded to Br II for favour of opinion

mrs 442-08

26-12-08

Submitted Hore 28/12/08

The expenditure is unavoidable and as the Municipality has no money of its own for meeting it, the amount has to be advanced as a loan by Govt. Of the loan will be repaid in a year or two, no interest need perhaps be charged on it as the municipality can well afford to pay it. Please put up the detailed Estimates of the Municipality for 1908-09

Subd with G O No 12731-8/ Ml 525-07 2 dated 5th June 1908 relating to the Budget Estimates of the Mysore City Municipality for 1908-09

Hore 29.12.08

GPB—50 000—17 5 07

G R.S. 12]
General and Revenue Secretariat.

File No. of 190

Serial No.

I wanted to look up the Budget with a view to see if the additional demand could be met by diversion of budgeted grants on any of the Estimates I find that it impossible to provide for the present demand by deferring any other expenditure for which provision is made in the Budget. The Expenditure Estimate is already entirely on account of Establishment & other fixed charges. What little of provision for public works is made is all for repairs & no amount can be ~~saved~~ released even from the P W grant. There is one item of Rs 2000 on account of the maintenance of Vanivilas Water works. Details for the expenditure of the amount may kindly be furnished. It is given as a contribution & credited to the P.W.D. What I want to know is the actual expenditure which

Note.—Contn sheet.

Serial No

The PWD actually incurs on this account and gets itself reimbursed from the Contribution levied by the Municipality. If the actual expenditure is ~~incurred~~ If any portion of the amount of Rs 2000 is not actually expended, and the payment by the Municipality may perhaps be permitted to be deferred, reserving a proportionate amount for being diverted to meeting the present demand If however the whole of Rs 2000 is kept for actual expenditure by the PWD & the payment made by the Municipality is either equal to or less than the charge actually incurred by the PWD dept the payment of the whole or any portion of the water works maintenance, grant can not be postponed & the only course open is to sanction the amount now required as on [illegible] to

Note.—Contin sheet.

G R. S. 12]
General and Revenue Secretariat.

File No. of 190

8

Serial No.

The municipality will or with out interest. If an annual expenditure of about Rs 2500 is required for temporarily augmenting the supply of water, the earlier the electrification of the pumping plant, which is expected to ensure a continuous supply of the quantity of water required by the City is completed the better it will be for the municipality as the latter will be saved every year a large expenditure which it can ill-afford to meet in its present state of finances. The electrification is estimated to cost only Rs 5000 i.e. only twice the annual expenditure which the municipality is now obliged to meet for ~~[illegible]~~ in making temporary arrangements for the supply of water.

31-12-[illegible]

NOTE.—Contn. sheet.

G.P.S.—30,000—27-8-07

G R S. 12]
General and Revenue Secretariat.

3111 Jud File No. 40 of 1908 9

Serial No.

Submitted with the opinion of the Financial Branch
This may be perused and offered for favour of
information called for by the Financial asst Secy
dy 31/12/08 Forwarded to the
Chief Engineer for favour of
furnishing the information
required by Branch II as regards
the provision of Rs 20,000 for the
maintenance of the Tanuvlase
water-works

By order
K Meylarkar
For Secy -

2 / 09

Ch Offe No. 10 P.W.S. dy 6/1/09

Of the provision of Rs 20000 referred to, a sum
of Rs 15,000 would be required for the annual
maintenance of the Kuinalai Outfall works, the
estimate for which has just sanctioned in
Govt Bro. No 6249-52/Pub 40-08-6 dy 6-1-09,
& the balance of Rs 5000 is intended to meet
the annual Contribution that made towards
the sinking funds for renewals &c, ordered in
para 2 of Govt Bro. No 1869-78/Pub (4 B-05)-6
dy 11th August 1908. No thing can be spared
out of this amount in fact we want more money
The Electric pumping plant is expected to come
early in March 1909 & it is hoped that the

NOTE.—Contn sheet.

G.R S 12]
General and Revenue Secretariat

3111 File No 40 of 1908

Serial No

work would be completed & the plant begin working early in April 1908?

1909

W D'A Lentaigne
Chief Engineer & Inspr

Bungalow
8 1.09

IV 5d 911
1103 Vol
SR 7 1

ontn sheet

1.Z.C

GPB—50 000—18 5 08

G R. S. 12]
General and Revenue Secretariat.

File No. 40 of 1908

Serial No.

11

Submitted with the Chief Engineer's opinion dtd. 7.1.09 Forwarded to Br II for further note, if any. The information wanted as regards the item of Rs 20,000 on account of the maintenance of Tamarlasa water works is furnished by the Chief Engineer.

12.1.09

Submitted

15/1/09

15/1

Please see note of 31-12-8 Supra. In the circumstances of the case, the amount has to be given as an loan to the Municipality. The Electrification of the Pumping plant is estimated to Cost about Rs 50000 & as the necessary plant is stated by the Chief Engineer to have been ordered, the work has to be proceeded with and as stated in the previous note it is advisable to have the work completed early to save the Municipality

mis 482 08/09. for Secy

Note—Contin sheet.

GPB—50.000—12-5-05

Serial No

Unnecessary annual expenditure of about Rs 25000. The amt req for the electrification as also that for meeting the present demand will have to be advanced as a loan to the Municipality which shd be directed to take steps to improve its finances & to repay the loan of ~~as~~ as early as possible Rs 70000 which they obliged to contract.

A loan of about three-quarters of a lakh to the Mysore city is now in an exceptional demand on the treasury the strain on which is already heavy owing to the distress. But the demand has to be met & the loan has to be given. The loan may bear interest at 4 p.c. wh is the rate charged on municipal loans

The amount of loan may be drawn from the treasury as it is required

GPB—50 000—18 5 08

Serial No.

expenditure & not in a lump Sum.
One point Connected with the present demand is not quite clear. This stated to be for 1908-9 but how the expenditure during the first 6 months of the year was met is not stated. Perhaps it has been advanced by the P.W. Dept. If the Electrification is Completed Early in April next, about a third of the expenditure of 1908 may be perhaps be saved,

J

Initial Seen.

16/1/09

I agree

21/1/09

Submitted with the opinion of the Financial Branch.

23/1

P T O

Note—Contin sheet.

Serial No

The estimate may be sanctioned, the amount required being advanced as a loan to the Municipality bearing interest at 4 p.c per annum. As regards the repayment of this and the other loan of Rs 50,000 ordered to be advanced on account of the electrification of the Balagola water works, the Municipal Council may be requested to state the amount of the instalments in which the loans will be repaid.

General matter

1st Cr) 26 1.09 JWD

9588/27-1-09

1 The Draft may be approved.
2 The entire amount has to be treated as a loan as above noted. JWD 29 Jan 09

Circulate MK 30/1/09

JWD 30.1.09

The amount of the estimate viz Rs 24,016 may be sanctioned as a loan to the Mysore Municipal Council bearing 4% interest. I hope the Electrifica

Note—Contin. sheet.

Serial No

will be constant in hand & completed. The Mysore City water supply as well as the interests of the wet land holders under the Devaraj Channel are seriously jeopardized by the present wasteful method.

WW
5/2/09.

Dewan)

CRR
5/2/09

C 192
3 2 09

16

GENERAL AND REVENUE SECRETARIAT

Council Matter

SUBJECT

Estimate for working the supplementary Steam Plant for the temporary improvement of the water-supply to the Mysore City during 1908-09.

CIRCULATED TO COUNCILLORS

By Order

C S Balasundaramayya
Offg Secretary

3rd February 190[illegible]

T Ananda Row, Esq, B A,
First Councillor

Seen by First Councillor

K P Puttanna Chetty, Esq,
Second Councillor

11800
3 2.09

G R S 15]

Facing sheet for Cases included in the schedule appended to Notification No 36 of the 8th Aug 1902

GENERAL AND REVENUE SECRETARIAT

17

Subject— Estimate for working the supplementary Steam Plant for the temporary improvement of the water-supply to the Mysore City during 1909-09

	Date	Initial of Officer himself or responsible Deputy
Received in the Secretariat		
Submitted to Secretary		
Submitted by Secretary to Dewan or Councillor in charge		
Returned to Secretary		
Circulated by Secretary for Council	3 2 09	
Forwarded by 1st Councillor	Seen by 1st Cr.	
Forwarded by Councillor		
Received in Secretariat		
Considered in Council		
Submitted to the Dewan	3 2 09	
Submitted to His Highness	6 2 09	
Orders passed by His Highness		
Final Orders issued		
Circulated to Councillors		
Passed on by the Councillor		
Returned to Secretary by Councillor		

GPB—1000—26-07

Submitted to His Highness

The accompanying estimate amounting to Rs 24,016 for the working charges of the supplementary steam plant, for the temporary improvement of the water supply to the Mysore City, for the year 1908-09 may be sanctioned

As there is no provision in the current year's municipal Budget of the Mysore City to meet this charge and as it could not be met from the closing balance in its favor, it is proposed to advance the same as a loan from the State funds, with interest at 4 per cent per annum The Financial Branch has no objection to this being done, but suggests that the amount may be drawn as required for expenditure instead of in a lump sum The loan will have to be sanctioned, but before passing final orders on the subject the Municipality must be given an opportunity to consider the question This will be done in due course In the meantime the Chief Engineer may be authorized to incur necessary expenditure according to the estimate

4/2/1909

3211 19

Record of Cases submitted for the Orders of His Highness the Maharaja

Subject

Estimate for the working charges of the Supplementary Steam Plant for the temporary improvement of the water supply to the Mysore City for 1908-09 and a loan of the required amount from the State Funds.

Order

Sanctioned
KRW
8/2/09

R. S. 12]
General and Revenue Secretariat

Jud File No 40 of 1908 3 W 120

Serial No	
	Draft slightly added to and submitted. The pencil addition will have to be removed
	Asst. Secy 12/2. Dy Secy 12/2. Issued 12.2.09
6	To the Chief Engineer, President, Mysore city Municipal Council and Comptt. No 8144-68 19-2-09
	Sanctions the estimate received with Sl No 4 with certain observations and requests the Ch Engr to raise the Municpl part of the P.W grant by Rs 24,016/- for meeting the charges in question, and proposes to advance the above amount from State funds as a loan to the Municpty and requests the President, to place the matter before the Municipal Council and submit their resolution in the matter pointing out, at the same time the source of revenue which the Municpty would assign for the repayment of the loan.

NOTE—Contn sheet

GPB—50 000—18 5 08

D 3111

MYSORE P W DEPARTMENT,

CENTRAL OFFICE,

No. 6903 / Rec 2 / 9L 40-8 / 8L4 BANGALORE, 4th November 1908.

From

THE CHIEF ENGINEER OF MYSORE,

BANGALORE.

To

The Secretary to the Govt. of Mysore
General & Revenue Depts

Sir,

In continuation of this office
L. no. 6788 dated the 28th ultimo, I have
has no bearing the honour to forward for sanction
on subject of Govt the accompanying estimate
providing for the working charges
of the supplementary steam plant
erected for the temporary improve-
-ment of the Water Supply to the
Mysore City, for the year 1908-09.
It amounts to Rs 24,016, against
the estimate of Rs 24,037 sanctioned
for 1907-08 the actual outlay
incurred being only Rs 22,354
The provisions made under the
several sub-heads are almost
the same as that of the previous

WM 6.11 1908

MYSORE P W DEPARTMENT

No. 6303
Ex 2

From

THE CHIEF ENGINEER OF MYSORE,

Bangalore

To

The Secy to Govt
Public Works Department

Dated Bangalore, 4-11-08

Despatched

Enclosure No

SUBJECT

Year except under "Fuel" for which the rate has been slightly increased as explained in the Executive Engineer's report attached to the estimate

I The charge is debitable to the Budget of the Mysore City Municipality, and the remarks in para 2 of this office No. 6788 dated the 28th ultimo (quoted above) apply to this work also If "establishment and tools and plant Charges" are to be levied, the additional sum sanctioned in this case would be Rs 4,323 which is 18 per cent on Rs 24,016 ——

I have the honour,
Sir,
Your most obedient Servant,

F Stewart Dann.
Capt. R.E.
Dy Chief Engineer
of Mysore

Water Supply & Stores Division

Estimate of the probable Cost of working Charges for Steam Plant Temporary Improvement for water supply to the town of Mysore for the year 1908—09.

ABSTRACT

Items	Per	Rate	Quantity	Amount
Jungle fuel from Clospet at 7 tons per day for 320 days in the year at Rs 9-2-0 per ton including establishment for collection at Clospet, watching at Lakkumaranahalli, restacking at the Pumping Station.	Ton	9 2 "	2240	20440 " "
Oil waste &c required	Lumpsum			500 " "
Spareparts of engine & Pump				300 " "
		Total		21240 " "
4 Firemen on Rs 20- each	month	80 " "	12	960 " "
6 wood Coolies @ Rs 8- each	"	48 " "	12	576 " "
1 Cleaner on Rs 8-	"	8 " "	12	96 " "
				2632 " "
		Total		22872 " "
Contingencies at 5%				1144 " "
Grand Total.		Rs		24016 " "

(Sd) K Krishnamachar
For Executive Engr
Mysore Irrigation & Stores Division
No 18 Engl Work
7. 10. 09

"True Copy"

For Secy to Govt

G.R.S 25]

File No. 40 08
Serial No 6

Diary No of letter replied to 3111

Proceedings of the Government of His Highness the Maharaja of Mysore

GENERAL AND REVENUE SECRETARIAT

Dated the 190

Date of issue 19-2-09

Signed by [illegible]

8144-6 G.R.S 08

READ.—

Letter No 6903 G.II-11-8 from the Chief Engineer of Mysore submitting for sanction an estimate amounting to Rs 24,016/- for the working charges of the supplementary steam plant erected for the temporary improvement of the water-supply to the Mysore City for the year 1908-09.

Order thereon.

Sanctioned with the remark that if the electrification of the pumping plant can be and is completed early, an appreciable proportion of the proposed charge for working the

over

SUBJECT

Please refer to the Board the matter contained herein

Jan Rotman - Please ask the Secy - [In my part I don't wish to anticipate Council Resolution] JR 30/1/09

Submitted
Secy) 30.1.09 JRW

JR